

List of Illustrations

for Rainwater Harvesting for Drylands and Beyond, Volume 1, 3rd Edition

I.1A	Landscape draining resources	4	1.16B	Source and Sink, zig-zag flow	35
I.1B	Landscape harvesting resources	4	1.17	Cistern overflow filling sequential earthworks	35
I.2	Pure rainwater	6	1.18	Vegetative groundcover, mulch, and seed	36
I.3	Rain always free	7	1.19	Water-harvesting system with multiple functions	36
I.4A	Wasteful path to scarcity	8	1.20	Long and thoughtful observation again	37
I.4B	Stewardship path to abundance	8	1.21	Mr. Phiri beside remaining sisal stand	38
I.5A	Landscape on life support	10	1.22	Mr. Zephaniah Phiri Maseko in 2013	40
I.5B	Sustainable landscape recycling on-site resources	10	1.23	Constance and grandchild in 2013	40
I.6A	Over-extracting groundwater	11	2.1A	The top of the watershed	43
I.6B	Conserving municipal/well water	11	2.1B	Ridge of hill defining watersheds	43
I.7A	Polluting our water and watershed	14	2.1C	Watersheds and subwatersheds, larger picture	43
I.7B	Cleaning our water and watershed	14	2.2	Urban home watershed and runoff flow	45
I.8A	Water hoarding, large dams	15	2.3	Sample site map of 4,400 square foot property	46
I.8B	Water cycling	15	2.4	Estimated annual runoff, types of catchment surface	49
I.9	"Runoff River Street" in summer storm	16	2.5	Roof catchment size: drip line dimensions	50
I.10A	Santa Cruz River, Tucson, 1904	18	2.6	Example: estimated greywater resources	51
I.10B	Santa Cruz River, Tucson, 2007	18	2.7	One-Page Place Assessment: Tucson, Arizona	55
I.11A	Impervious surfaces losing 75% of rainwater	19	2.8	Indoor cistern	59
I.11B	Harvesting runoff from impervious surfaces	19			
I.12	Rain as primary water source	20			
1.1	Water, soil, seeds, and life gather where water flow slowed	24	3.1	Landscape with low-water-use vegetation, periphery	64
1.2	Layout of Mr. Phiri's farm	25	3.2	Berm and basin holding runoff water	65
1.3	Mr. Phiri in "immigration center" reservoir	26	3.3	Contour berm doubling as raised path	65
1.4	House, courtyard, cistern, and passion vine	26	3.4	Series of boomerang berms	65
1.5	Unmortared rock check dam	26	3.5	Terraces stabilized with dry-stacked salvaged concrete	66
1.6	Mr. Phiri in fruition pit	27	3.6	Terracing strategies for different grades of slope	66
1.7	Mr. Phiri's tree nursery	27	3.7	Infiltration trench infiltrating runoff from roof and patio	67
1.8	Mr. Phiri demonstrates donkey-powered pump	28	3.8	Deep pipe variation of Infiltration trench	67
1.9	Mr. Phiri in his banana grove	28	3.9	Infiltration basins intercepting runoff from street	68
1.10	Mr. Phiri beside aquaculture reservoir	28	3.10	Infiltration basin diameter and plant canopy drip line	68
1.11	Long and thoughtful observation	30	3.11A	Rainfall in newly constructed Milagro infiltration basins	68
1.12	Start at the top	31	3.11B	Milagro basins mulched and vegetated	68
1.13	Start small and simple	32	3.12A	Roof runoff and bathtub/shower greywater directed to infiltration basin	69
1.14	Culvert as erosive shotgun barrel	33	3.12B	Three-way valve directing greywater to landscape or sewer	69
1.15A	Bare landscape acting as drain	34			
1.15B	Landscape with "nets" of vegetation and earthworks	34			
1.16A	Source and Sink, linear flow	35			

3.13A	Imprinter roller pulled by tractor	70	4.6B	Roof overhang for window providing summer shade	99
3.13B	Native vegetation, post imprinting	70	4.7A	Altitude Angle for noonday sun on winter solstice	100
3.14A	Basin without mulch	71	4.7B	Altitude Angle for noonday sun on summer solstice	100
3.14B	Basin with mulch	71	4.8A	Winter solstice sun access, to-scale drawing	101
3.15	Vertical mulch variation (mulch-filled hole or trench)	71	4.8B	Summer solstice shade, to-scale drawing	101
3.16	Two-track driveway reducing impermeable surface	72	4.8C	Spring equinox sun and shade, to-scale drawing	101
3.17	Narrow streets, mesquite trees irrigated by street runoff	72	4.8D	Fall equinox sun and shade, to-scale drawing	101
3.18	Permeable hardscape with recycled sidewalk chunks	73	4.9	Window awning	103
3.19	Diversion swale	73	4.10A	Winter-sun-side trellis in summer	103
3.20	Series of diversion swales	73	4.10B	Winter-sun-side trellis in winter	103
3.21	Rolling dip/diversion berm speed hump	73	4.11	East-facing exterior blinds as pollinator habitat	106
3.22	Sheet flow spreader calming flow from culvert	74	4.12A	Solar arc of trees, east-west oriented building	107
3.23A	Sheet flow spreader just after construction	74	4.12B	Solar arc of trees, north-south oriented building	107
3.23B	Sheet flow spreader two to three months after construction	74	4.13A	Water-harvesting basins as solar arc foundation	108
3.23C	Sheet flow spreader two years after construction	74	4.13B	Young trees and garden planted within basins	108
3.24	One-rock dam within drainage	75	4.13C	Trees at full size as living solar arc, and winter garden	108
3.25A	Keying in one-rock dam	76	4.14	Energy use differences based on shade tree locations	109
3.25B	Adding another layer to one-rock dam	76	4.15A	House, cisterns, and trees form winter morning sun trap	110
3.26A	One-rock dam before rain	76	4.15B	House, cisterns, and trees form summer afternoon shade trap	110
3.26B	One-rock dam after rain	76	4.16A	Cisterns and tree as sun trap for garden 9 A.M.	111
3.27	Downspout spillway as rock-mulch rundown	77	4.16B	Cisterns and tree as sun trap for garden noon	111
3.28A	Side view of headcut	78	4.16C	Cisterns and tree as shade trap for garden 3 P.M.	111
3.28B	Side view of rock-mulch rundown	78	4.17A	Majority of winter solar access lost	113
3.29A	Side view of headcut	79	4.17B	Over half of winter solar access lost	113
3.29B	Overhead and side views of rock-lined plunge pool	79	4.17C	Winter solar access retained with evergreen tree	113
3.30A	Planting according to water needs and tolerance	80	4.17D	Winter solar access retained with deciduous tree	113
3.30B	Rain garden bottom zone full	80	4.17E	Winter solar access retained for wall, solar oven, and hot air collectors	113
3.30C	Rain garden terrace zone full	80	4.17F	Winter solar access retained for wall, solar oven, and trombe walls	113
3.31	Planting according to drainage needs	80	4.18A	Using winter-solstice noon shadow ratio	115
3.32	Basic components of a cistern system	82	4.18B	Shadows cast by tree and house, noon, winter solstice	115
3.33	Closed cistern system	83	4.19	Azimuth angle of sun 3 P.M., winter solstice, 32° N	115
3.34	Galvanized tank and wet-system downspout	84	4.20A	Using winter-solstice 3 P.M. shadow ratio	116
3.35	10,000-gallon (38,000-l) steel tank/mural and dry-system downspout	84	4.20B	Shadows cast by tree and house at 3 P.M. on winter solstice	116
3.36	Culvert tanks with light-, insect-, and critter-proof lids	84	4.21	Tree pruning for winter sun access and shading summer sun	117
3.37	300-gallon (1,135-l) slim tank	84	4.22	Raised pathways, and sunken mulched and vegetated basins	117
3.38	300-gallon (1,135-l) polyethylene tank	85	4.23	Parking orchard of shade trees irrigated by runoff	118
3.39	Below-ground 1,200-gallon (4,542-l) tank	85	4.24A	Dehydrated, exposed residential lot	119
3.40	6,000-gallon (22,700-l) ferrocement tank	85	4.24B	Hydrated, sheltered lot with water-harvesting earthworks, etc.	119
3.41	7,000-gallon (26,460-l) poured-in-place concrete tank as patio	85	4.25A	Wide, exposed, solar-oven-like street	120
3.42	Home with 500-gallon (1,895-l) galvanized steel cistern	87	4.25B	Narrow, tree-lined, and shaded street	120
4.1	Changing angles of the sun's rays with changing seasons	92	4.26	Admiring birds in an outdoor classroom	121
4.2A	Winter solstice path of sun	93	4.27	Integrated rainwater- and greywater-harvesting landscape plan	124
4.2B	Summer solstice path of sun	93	5.1A	Brad and Rodd Lancaster residence in 1994	126
4.3A	Winter sun exposure and noon shade, winter solstice	95	5.1B	Same site in 2013, no runoff leaves site	126
4.3B	Summer sun exposure and noon shade, summer solstice	95	5.2	Winter-sun side of Lancaster residence, winter solstice	129
4.4	Sample map of resources and challenges of a site	96	5.3	Late winter garden from rainfall and roof runoff	130
4.5A	Sun exposure and shade, east-west oriented building	98	5.4	Three-way diverter valve under sink	131
4.5B	Sun exposure and shade, north-south oriented building	98	5.5	Greywater drains beside washing machine	131
4.6A	Roof overhang for window allowing winter sun exposure	99			

5.6	Greywater drain outlet and mulched, vegetated infiltration basin	132	A1.24	Alluvial fan; contour lines of fan	170
5.7A	Vinyl tube accesses bathtub greywater	133	A1.25	High water flow detritus on tree	171
5.7B	Siphon hand pump for tub greywater	133	A2.1	Check dams	173
5.8	Food grown on-site, irrigated with rainwater	134	A2.2	Linear borders	174
5.9	Outdoor shower	134	A2.3	Waffle gardens	174
5.10A	Public right-of-way adjoining property, 1994	135	A2.4	Grid gardens	174
5.10B	Tree-lined footpath and right-of-way, 2006	135	A2.5	Gravel- and rock-mulched fields	175
5.11A	Potters for Peace water filter	136	A2.6	Cliffbase plantings	175
5.11B	Pouring rainwater into activated carbon water filter	136	A2.7	Floodplain farming	175
5.12A	Solar rights/access for neighbors, 9 A.M./3 P.M., winter solstice	139	A2.8	Floodwater farming	176
5.12B	Solar rights/access for neighbors, noon, winter solstice	139	A2.9	Irrigation	176
5.13A	Noon, winter solstice	140	A4.1	Rain garden planting zones	193
5.13B	Noon, spring equinox	140	A4.2A	Three mesquite trees watered by roof runoff	198
5.13C	Noon, summer solstice	140	A4.2B	Citrus tree watered by roof runoff and greywater	198
5.14	Sculpture: flow / harvest of sun / shade	141	A4.2C	Vegetable garden watered by roof runoff in cistern	198
5.15	Garottage roof bed	141	A4.3	Area under tree canopy	198
5.16	Garottage rainwater tanks	142	A4.4	Harvest calendar of Sonoran Desert food plants	201
5.17	Indoor and outdoor thermometers	143	A7.1A	Sun's path, 0° latitude, summer solstice	208
5.18	Mesquite cookies	145	A7.1B	Sun's path, 0° latitude, winter solstice	208
5.19	Harvesting mesquite pods	147	A7.2A	Sun's path, 12° N latitude, summer solstice	209
5.20	Enjoying mesquite pancakes	147	A7.2B	Sun's path, 12° N latitude, winter solstice	209
5.21	Prickly pear fruit harvest, street-side rain garden	148	A7.3A	Sun's path, 23.5° N latitude, summer solstice	209
5.22	Harvesting organic matter	149	A7.3B	Sun's path, 23.5° N latitude, winter solstice	209
5.23	Water-harvesting chicane	150	A7.4A	Sun's path, 32° N latitude, summer solstice	209
5.24	Playing near a water full rain garden	150	A7.4B	Sun's path, 32° N latitude, winter solstice	209
5.25	16-inch (40-cm) curb cut	151	A7.5A	Sun's path, 44° N latitude, summer solstice	210
5.26	4-inch (10-cm) curb core	151	A7.5B	Sun's path, 44° N latitude, winter solstice	210
5.27	Gila monster bench in right-of-way	151	A7.6A	Sun's path, 56° N latitude, summer solstice	210
5.28	Sonora Sucker Fish and Horned Lizard sculpture	152	A7.6B	Sun's path, 56° N latitude, winter solstice	210
A1.1	Erosion triangle	153	A7.7A	Sun's path, 68° N latitude, summer solstice	210
A1.2	Microdetritus berms after sheet flow	156	A7.7B	Sun's path, 68° N latitude, winter solstice	210
A1.3	Pedestal pattern on Empire Ranch	156	A7.8	Sun angles and shadow lengths by latitude and season	211
A1.4	Headcut progression in series	157	A7.9	Using sun path diagram to find sun's location at 9 A.M. on Dec. 21	212
A1.5A	Water flow over headcut	158	A7.10	Altitude angle of sun above horizon	213
A1.5B	Dry headcut after flow	158	A7.11	Azimuth angle of sun east of True South	213
A1.5C	Rock-lined plunge pool stabilizing headcut	159	A7.12	Sun path diagram and sun's altitude/azimuth angles	213
A1.6	Rock-mulch rundown stabilizing headcut	159	A7.13	Sun path diagram, length and direction of tree's shadow	214
A1.7	Cross-vane controlling headcut, edge of road	159	A7.14	To-scale model or drawing on sun path diagram	214
A1.8	Rill erosion	160	A7.15	Sun path diagram 0° latitude	214
A1.9	Deepening gully below headcut	160	A7.16A	Sun path diagram 12° N	215
A1.10	Evolution of a water channel	161	A7.16B	Sun path diagram 12° S	215
A1.11	Healthy, meandering waterway	161	A7.17A	Sun path diagram 24° N	215
A1.12	Meandering waterway with easy access to floodplain	162	A7.17B	Sun path diagram 24° S	215
A1.13	Pools, point bars, crossover riffles in meandering waterway	163	A7.18A	Sun path diagram 32° N	216
A1.14	Crossover riffle locations in waterway	164	A7.18B	Sun path diagram 32° S	216
A1.15	Series of one-rock dams	165	A7.19A	Sun path diagram 44° N	216
A1.16	Constructed step pools	166	A7.19B	Sun path diagram 44° S	216
A1.17	Rock-lined plunge pool and one-rock dams	166	A7.20A	Sun path diagram 56° N	217
A1.18	One-rock dam on bedrock forms ephemeral seep	167	A7.20B	Sun path diagram 56° S	217
A1.19	Filer/check dam atop bedrock forms spring	167	A7.21A	Sun path diagram 68° N	217
A1.20	Exposed tree roots	167	A7.21B	Sun path diagram 68° S	217
A1.21	Hammock of tree roots	168	A7.22	Finding North Star with Cassiopeia and Big Dipper	218
A1.22	Depositional and erosional slopes	168			
A1.23	Alluvial fan; water and sediment flow	170			

A7.23	Finding True South with the Southern Cross	219	A8.5	Inlet configurations/exterior building surfaces affecting airflow	227
A7.24A	Finding direction with shadow cast by gnomon	219	A8.6A	Inlet/outlet configurations affecting airflow	228
A7.24B	Shadow from gnomon on solstices and equinoxes	220	A8.6B	Overhangs as wing walls	228
A8.1A	Basic site microclimates	223	A8.7A	Effects of inlet/outlet opening sizes on air speed	229
A8.1B	Basic ideal microclimates for home sites	223	A8.7B	Differential window heights and airflow	229
A8.2A	Enhancing cross-ventilation with plantings	225	A8.8	Stack ventilation and inlet/outlet heights	230
A8.2B	Enhancing cross-ventilation with casement window or wing walls	225	A8.9	Wind-deflecting element thinness and protected area downwind	231
A8.3	Vegetation deflecting/directing airflow over/through building	226	A8.10A	Strong eddies and solid windbreak	231
A8.4	Variations of window placement, prevailing winds	227	A8.10B	Minimal eddies and porous windbreak	231
			A8.11	Shelterbelt inducing snow deposition	232
			A8.12	Barbed wire fence harvests tumbleweed	232